

**IDEAL**

**IDEAL document shredders protect confidential data.**



Model overview 2026 / **Document shredders**

# Professional document shredders

## Sensitive data deserve special protection.

From affordable entry-level models and automatic feed shredders to our premium Made in Germany devices, IDEAL offers the perfect solution for keeping your paper documents secure. Trust IDEAL to safeguard your confidential information and protect your business secrets with uncompromising quality.

Infos on GDPR



**Certified to ISO 9001, 14001 and 50001**  
EcoVadis Bronze for Krug & Priester and the Blue Angel for shredders underline our strong commitment to sustainability. Details in the sustainability report: [ideal.de/en/pages/nachhaltigkeit](https://ideal.de/en/pages/nachhaltigkeit)



# Shred automatically. With Shredcat Auto-Feed.




## NEW

Our IDEAL Shredcat 8291  
Auto-Feed shredder.

Do you frequently need to shred large amounts of paper and find yourself wondering each time who should take care of it? A Shredcat Auto-Feed is happy to do it for you: once the paper stack is loaded, the quiet, efficient motor takes care of the rest.

# IDEAL Shredcat

## Auto-feed shredders – the details



### Safety

**01** Maximum safety: The shredder switches off in case of overheating. An automatic shut-off stops the machine when the shred bin is removed or the auto-feed flap is opened.

**02** All auto-feed models also allow up to 10\* sheets to be fed manually at once. A light sensor automatically starts and stops the shredding process.

### Guaranteed

**03** The cutting mechanisms of security level P-4 are staple-proof, and credit cards as well as CDs/ DVDs (model 8285) can also be shredded safely.

### Convenience features



**04** The comprehensive control panel lets you easily operate functions such as forward, stop, and reverse. An LCD display or multi-coloured LEDs keep you informed of the operating status at all times. A large transparent front window clearly shows the fill level.

**05** Auto-feed: Depending on the model, the paper to be shredded is inserted vertically or horizontally. Once the flap is closed, the shredder starts automatically.

# IDEAL Shredcat shredders

Perfect entry-level models –  
right at your desk



	Shredcat 8100*		Shredcat 8200	
	CC		CC	CC
Model version	CC		CC	CC
Feed opening, mm	220		220	220
Shredder type	cross cut		strip cut	cross cut
Shred width, mm	5 x 30		4	4 x 40
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	10-12		16-18	14-16
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	8-10		14-16	12-14
Security level ISO / IEC 21964 (DIN 66399)	P-4		P-2	P-4
Shreds also				
Shred speed, m/sec.	0.03		0.03	0.03
Shred bin volume in litres	20		21	
Power connection, volts / Hz (single phase) <sup>1</sup>	230 / 50 / 1~		230 / 50 / 1~	
Motor capacity (rated input), W	144**		185**	220**
Automatic start/stop via photo cell	●		●	
Control element	rocker switch		rocker switch	
Reverse function	—		●	
Automatic cut-off if shred bin is full	—		—	
Automatic shut-off on emptying the shred bin	●		●	
Motor protection	●		●	
Automatic power shut-off	—		—	
Mobile on castors	—		—	
Dimensions, mm (H x W x D)	395 x 310 x 195		425 x 348 x 215	
Weight, kg	4.1		6.8	7.5

\* Available in the first quarter of 2026 \*\* at maximum sheet capacity <sup>1</sup> other voltages available

# IDEAL Shredcat Auto-Feed shredders

Effortlessly handle whole stacks of paper



## Shredcat 8291

### CC

220

cross cut

4 x 10

up to 150 automatic or up to 8 manual

up to 150 automatic or up to 8 manual

P-4



0.03

21

230 / 50 / 1~

220\*\*



push buttons



—

548 x 360 x 235

10.1

## Shredcat 8292

### CC

220

cross cut

4 x 10

up to 200 automatic or up to 10 manual

up to 200 automatic or up to 10 manual

P-4



0.03

26

230 / 50 / 1~

276\*\*



push buttons



after 15 minutes of inactivity



594 x 373 x 255

11.6

## Shredcat 8285

### CC

220

cross cut

4 x 10

up to 350 automatic or up to 6 manual

up to 350 automatic or up to 6 manual

P-4



0.03

53

230 / 50 / 1~

200



push buttons



in EcoMode



705 x 470 x 380

20

# **IDEAL Office document shredders. Expert quality – Made in Germany.**



Do you regularly need to dispose of documents, but don't want your staff spending half the day at the shredder? Then our office shredders are the perfect choice. All models are exceptionally powerful, designed for continuous operation, and come with a high-quality, mobile wooden cabinet with a large shred bin. Ideal for centralised use, for example in open-plan offices or positioned next to the photocopier.

# IDEAL office shredders – key features at a glance

**03** Paper clip proof solid steel cutting shafts

**05** ECC and ECC+  
Electronic Capacity Control

**06** Automatic oiler  
for high shred  
performance



**01** Electronically controlled  
safety flap (SPS)

**02** Additional safety  
features (SPS)

**04** EASY-SWITCH  
Multi-function switch

## SPS Safety protection system



**01** The electronically controlled safety flap in the feed opening is an additional safety feature, providing protection for fingers and ties. It also features the light sensor for the start/stop automatic function.

**02** The motor automatically stops when the door is opened or the shred bin is full, and it additionally features double protection against overheating. The reverse and automatic shut-off functions prevent paper jams.

## Guarantee



**03** For the cutting mechanisms of security levels P-2, P-4, and P-5, we offer a lifetime guarantee on the paper clip-proof solid steel cutting shafts made of special hardened steel.

## The "Blue Angel"



These shredders have been awarded the "Blue Angel" for their high energy efficiency, in part thanks to the Zero Energy Standby mode, which automatically disconnects the power after 15 minutes.

## Convenience features



**04** The EASY-SWITCH ensures intuitive operation through colour signals and illuminated icons, combined with the numerous automatic functions of our shredders.



**05** ECC and ECC+ mean Electronic Capacity Control. They visually indicate the used sheet capacity via LEDs during shredding, helping to prevent jams and ensuring smooth operation.



**06** Optional or standard? The choice is yours! A precisely dosed, automatic oil injection onto the cutting shafts during shredding maintains consistently high cutting performance. It binds shred dust, cleans, and cares for the cutting shafts – ideal for continuous operation.

# Deskside shredders

Professional data protection right  
at your workplace



	2245			2265		
	CC	CC		CC	CC	
Model version						
Feed opening, mm	220	220	220	220	220	220
Shredder type	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut
Shred width, mm	4	3 x 25	2 x 15	4	3 x 25	2 x 15
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	11-13	6-7	4-5	11-13	6-7	4-5
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	9-11	5-6	3-4	9-11	5-6	3-4
Security level ISO / IEC 21964 (DIN 66399)	P-2	P-4	P-5	P-2	P-4	P-5
Shreds also	☞	—	—	☞	—	—
Paper clip proof solid steel cutting shafts	●	●	●	●	●	●
Lifetime guarantee on solid steel cutting shafts	●	●	●	●	●	●
Automatic oiler	—			—		
Shred speed, m/sec.	0.05	0.06	0.06	0.05	0.06	0.06
Volume of cabinet in litres	—			20		
Shred bin volume in litres	20			20		
Power connection, volts / Hz (single phase) <sup>1</sup>	230 / 50 / 1~			230 / 50 / 1~		
Motor capacity, W	200			200		
Automatic start/stop via photo cell	●			●		
Control element	EASY-TOUCH			EASY-TOUCH		
SPS Safety Protection System:	—			—		
– Patented safety flap in the feed opening	mechanical			mechanical		
– Automatic reverse / automatic power cut-off	●			●		
– Automatic cut-off if shred bin is full	—			—		
– Electronic door protection	—			—		
– Double motor protection	●			●		
– ZERO ENERGY standby mode	●			●		
Awarded the "Blue Angel" for high energy efficiency	●			●		
Mobile on castors	—			—		
Dimensions, mm (H x W x D)	428 x 345 x 213			516 x 345 x 213		
Weight, kg	6.5	7.5	7.5	10.5	11.5	11.5

<sup>1</sup> other voltages available

☞ credit cards  
© CDs/DVDs



P-2, P-4, P-5



With optional automatic oiler.

2445					2465		
	CC	CC	MC	SMC		CC	CC
240	240	240	240	240	240	240	240
strip cut	cross cut	cross cut	fine cut	fine cut	strip cut	cross cut	cross cut
4	4 x 40	2 x 15	0.8 x 12	0.8 x 5	4	4 x 40	2 x 15
19-21	13-15	10-12	4-6	4-5	22-24	16-18	11-13
16-18	11-13	8-10	3-5	3-4	19-21	13-15	9-11
P-2	P-4	P-5	P-6	P-7	P-2	P-4	P-5
			—	—			
•	•	•	—	—	•	•	•
•	•	•	—	—	•	•	•
—	optional	optional	optional	optional	—		
0.07	0.06	0.06	0.07	0.07	0.09	0.10	0.10
50					50		
35					35		
230 / 50 / 1~					230 / 50 / 1~		
390					580		
•					•		
EASY-SWITCH					EASY-SWITCH		
•					•		
electronic					electronic		
•					•		
•					•		
•					•		
•					•		
•					•		
•					•		
•					•		
635 x 395 x 291					635 x 395 x 291		
21					22		



The "Blue Angel" is the first and oldest environmental seal in the world. It awards products that, viewed comprehensively, are particularly environmentally friendly and sustainable. IDEAL document shredders set the highest standards in quality, user benefits and environmental friendliness.

# Office shredders

Ideal for open-plan offices  
and office floors



 Also available with automatic oiler.

 Also available with automatic oiler.

	2503			2604					3104			
Model version	CC	CC	CC	CC	CC	MC	SMC	CC	CC	CC	SMC	
Feed opening, mm	260	260	260	260	260	260	260	260	310	310	310	310
Shredder type	strip cut	cross cut	cross cut	strip cut	cross cut	cross cut	fine cut	fine cut	strip cut	cross cut	cross cut	fine cut
Shred width, mm	4	4 x 40	2 x 15	4	4 x 40	2 x 15	0.8 x 12	0.8 x 5	4	4 x 40	2 x 15	0.8 x 5
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	21-23	16-18	10-12	30-32	27-29	16-18	8-10	5-7	30-32	26-28	15-17	9-10
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	18-20	13-15	8-10	26-28	23-25	14-16	6-8	4-6	26-28	22-24	13-15	8-9
Security level ISO / IEC 21964 (DIN 66399)	P-2	P-4	P-5	P-2	P-4	P-5	P-6	P-7	P-2	P-4	P-5	P-7
Shreds also	 			 	 		—	—	 	 		—
Paper clip proof solid steel cutting shafts	●	●	●	●	●	●	—	—	●	●	●	—
Lifetime guarantee on solid steel cutting shafts	●	●	●	●	●	●	—	—	●	●	●	—
 Automatic oiler	—	—	—	—	optional	optional	optional	optional	—	optional	optional	standard
Shred speed, m/sec.	0.09	0.10	0.10	0.08	0.10	0.10	0.09	0.09	0.08	0.10	0.10	0.09
Volume of cabinet in litres	100	—	—	125	—	—	—	—	140	—	—	—
Shred bin volume in litres	75	—	—	100	—	—	—	—	120	—	—	—
Power connection, volts / Hz (single phase) <sup>1</sup>	230 / 50 / 1~	—	—	230 / 50 / 1~	—	—	—	—	230 / 50 / 1~	—	—	—
Motor capacity, W	580	—	—	750	—	—	—	—	750	750	750	1500
Automatic start/stop via photo cell	●	—	—	●	—	—	—	—	●	—	—	—
ECC – Electronic Capacity Control	—	—	—	●	—	—	—	—	●	—	—	—
Control element	EASY-SWITCH			EASY-SWITCH					EASY-SWITCH			
SPS Safety Protection System:	●	—	—	●	—	—	—	—	●	—	—	—
– Patented safety flap in the feed opening	electronic			electronic					electronic			
– Automatic reverse / automatic power cut-off	●	—	—	●	—	—	—	—	●	—	—	—
– Automatic cut-off if shred bin is full	●	—	—	●	—	—	—	—	●	—	—	—
– Electronic door protection	●	—	—	●	—	—	—	—	●	—	—	—
– Double motor protection	●	—	—	●	—	—	—	—	●	—	—	—
– Zero energy standby mode	●	—	—	●	—	—	—	—	●	—	—	—
Awarded the “Blue Angel” <sup>2</sup>	●	—	—	●	—	—	—	—	●	—	—	—
High quality wooden cabinet, mobile on castors	●	—	—	●	—	—	—	—	●	—	—	—
Dimensions, mm (H x W x D)	870 x 500 x 377			926 x 495 x 470					930 x 538 x 470			
Weight, kg	30	30.5	30.5	48	—	—	—	—	52	—	—	—

<sup>1</sup> other voltages available

<sup>2</sup> for high energy efficiency



P-2, P-4, P-5



With automatic oiler as standard.



SMC with automatic oiler as standard.



Also available with automatic oiler.



With automatic oiler as standard.

3105			4001				4003				4005					
CC	CC	SMC	CC	CC	SMC	CC	CC	SMC	CC	CC	MC	SMC	CC	CC	MC	SMC
310	310	310	400	400	400	400	400	400	405	405	405	405	405	405	405	405
cross cut	cross cut	fine cut	strip cut	cross cut	cross cut	fine cut	strip cut	cross cut	cross cut	fine cut	strip cut	cross cut	cross cut	fine cut	fine cut	fine cut
4 x 40	2 x 15	0.8 x 5	6	4 x 40	2 x 15	0.8 x 5	6	4 x 40	2 x 15	0.8 x 5	6	4 x 40	2 x 15	0.8 x 12	0.8 x 5	0.8 x 5
40-45	25-30	12-13	28-31	22-25	10-13	4-5	43-45	34-36	16-18	8-9	50-55	40-45	25-30	15-17	12-13	12-13
34-39	21-26	11-12	24-27	19-22	8-11	3-4	37-39	30-32	13-15	7-8	42-47	34-39	21-26	13-15	11-12	11-12
P-4	P-5	P-7	P-2	P-4	P-5	P-7	P-2	P-4	P-5	P-7	P-2	P-4	P-5	P-6	P-7	P-7
•	•	—	•	•	•	—	•	•	•	—	•	•	•	—	—	—
•	•	—	•	•	•	—	•	•	•	—	•	•	•	—	—	—
standard			—	—	—	standard	—	optional	optional	standard	standard					
0.15	0.15	0.15	0.11	0.08	0.10	0.15	0.11	0.08	0.10	0.15	0.19	0.15	0.15	0.15	0.15	0.15
180			200				200				210					
140			165				165				165					
230 / 50 / 1~			230 / 50 / 1~				230 / 50 / 1~				230 / 50 / 1~					
1600			750				1500				1600					
•			•				•				•					
•			<b>ECC+</b>				<b>ECC+</b>				•					
EASY-SWITCH			EASY-SWITCH				EASY-SWITCH				EASY-SWITCH					
•			•				•				•					
electronic			electronic				electronic				electronic					
•			•				•				•					
•			•				•				•					
•			•				•				•					
•			•				•				•					
•			•				•				•					
•			•				•				•					
1020 x 548 x 590			945 x 640 x 550				945 x 640 x 550				1010 x 640 x 590					
102			73	79	79	79	75	81	81	81	115					



The "Blue Angel" is the first and oldest environmental seal in the world. It awards products that, viewed comprehensively, are particularly environmentally friendly and sustainable. IDEAL document shredders set the highest standards in quality, user benefits and environmental friendliness.

# High capacity shredders

Centrally deployable “giants” for handling large volumes of paper



 With automatic oiler as standard.

	<b>4606</b>		
	<b>CC</b>	<b>CC</b>	<b>CC</b>
Model version			
Feed opening, mm	460	460	460
Shredder type	cross cut	cross cut	cross cut
Shred width, mm	6 x 50	4 x 40	2 x 15
Performance in sheets, A4 paper 70 g/m <sup>2</sup>	85-95	65-75	35-45
Performance in sheets, A4 paper 80 g/m <sup>2</sup>	74-83	56-65	30-39
Security level ISO / IEC 21964 (DIN 66399)	P-3	P-4	P-5
Shreds also	  	  	  
Shredding head takes soft metal objects	●	●	●
Guarantee on the cutting shafts	2 years	2 years	2 years
Shred speed, m/sec.	0.17		
 Oil injection on the cutting shafts (standard equipment)	automatic		
Shred collection in	mobile shred bin		
Capacity for shreds, litres	230		
Power connection, volts / Hz (three phase) <sup>1</sup>	400 / 50 / 3P+N+PE		
Motor capacity, kW	2.2		
Automatic start/stop via photo cell	●		
Control element	EASY-SWITCH		
Illumination of the working area	●		
Automatic reverse / automatic power cut-off	● / ●		
Automatic cut-off if shred bag is full	●		
Electronic door protection	●		
Thermal overload switch	●		
Automatic standby after 30 minutes	●		
Movable on castors	●		
Dimensions, mm (H x W x D)	1700 x 740 x 765		
Weight, kg	253		
Accessories (optional):	Modular conveyor belt system	—	—
	Second shred trolley	—	—

-  credit cards
-  CDs/DVDs
-  diskettes
-  lever arch files

<sup>1</sup> other voltages available



With automatic oiler as standard.



With manual oiler as standard.

4108				5009	
	CC	CC	CC	2 CC	3 CC
410	410	410	410	500	500
strip cut	cross cut	cross cut	cross cut	cross cut	cross cut
6	6 x 50	4 x 40	2 x 15	8 x 40-80	6 x 50
100-120	85-100	65-75	43-48	600-700	300-400
87-105	74-87	56-65	37-42	500-600	250-350
P-2	P-3	P-4	P-5	P-2	P-3
•	•	•	•	•	•
2 years	2 years	2 years	2 years	2 years	2 years
0.26				0.21 / 0.12 (variable shred speed »2-MATIC«)	
automatic				manual	
suspension for disposable plastic bags with pull-out mechanism on wheels				shred trolley	
300				300	
400 / 50 / 3P+N+PE				400 / 50 / 3P+N+PE	
4.0	3.0	3.0	3.0	9.0 (2 x 4.5)	
—				—	
EASY-SWITCH				panel with push buttons	
•				—	
• / •				• / •	
•				•	
•				•	
•				•	
•				—	
•				•	
1440 x 1240/690 <sup>2</sup> x 1700				1714 x 1036 x 2170/3070 <sup>3</sup>	
357				1130	
—				•	
—				•	

<sup>2</sup> transportation width (without side tables)

<sup>3</sup> depth with conveyor belt system

